

Flat/Elevated System Enquiry Form

This Enquiry Form contains form fields.

Contact Details

Company Name: _____

Street, Number _____

City, Post code: _____

Contact Person: _____

Phone/Fax: _____

E-Mail: _____

Project Details

Project Name: _____

Street, Number: _____

City, Post Code: _____

County: _____

Contact Person: _____

Contact Person Phone: _____

Wind load: _____ kN/m² Snow load: _____ kN/m²
(if known)

Terrain Category

Town



Country



Sea




Distance to the Sea: _____ mm

Distance to the edge of town: _____ mm

Roof dimensions

(provide plans if possible)



Building height h: _____ m

Length a: _____ m

Width b: _____ m

Slope of a roof: _____ °

Parapet height: _____ m

Parapet width: _____ m

Desired system

Ballasted
(penetration-free)

Fixed to substructure

Roof substructure (not needed for ballasted systems)

Wood

Steel

Concrete

other: _____

Rafter-/Purlin spacing: _____ mm

Rafter-/Purlin shape (not needed for ballasted Systems)






Rectangular

square beam

I - beam

U - beam

Z - beam



Usuable depth of engagement: _____ mm

Roofing

Manufacturer Type: _____

Foil

Bitumen

Gravel

other: _____

friction coefficient, if known: _____


Sandwich sheet/
Corrugated sheet/
Sandwich

Steel

Aluminium

Fibre cement

Sandwich sheet/ Corrugated sheet - dimensions




Crown width a: _____ mm

Crown spacing i: _____ mm

Trapezoidal peak height c: _____ mm

Sheet Thickness: _____ mm

Sandwich height b: _____ mm



Radius r: _____ mm

Peak spacing i: _____ mm


Corrugation height c: _____ mm

Sheet thickness d: _____ mm

Sandwich height b: _____ mm

System

	Ballasted System	Fixed System	Orientation of modules relative to substructure
South System	FS10S/FS18S (10°, 18°) CS+ (15°)	TS+ (10° -35°) MS+ / MS+P VS+	1. Parallel 2. Vertical
East/West System	FS10EW (10°) CS+ (15°)	TS+ (10° -35°) MS+ / MS+P VS+	



Layout details

System size _____ kWp

Number of rows: _____

Maximum possible

Number of columns: _____

Component color

Clamps	Black	Silver
Rails	Black	Silver

Photovoltaic Modul dimension

Manufacturer/Type: _____

Framed

Laminate

Module length: _____ mm

Module width: _____ mm

Module thickness: _____ mm

For non-uniform layouts please use the grid below or provide a plan/ drawing.

Further notes

For technical enquiries and assistance with you project please don't hesitate to contact our technical department.